BUREAU OF INDIAN STANDARDS

Attachment to Licence No. CM/L- 5100025366

CM/L-No	Name of the Licensee with the Factory Address	Name of the Product	Indian Standard No.
5100025366	Skipper Limited -NH-6,Vill: Madhabpur P.O.Mahishrekha, Uluberia , , Howrah : 711303	Chlorinated polyvinyl chloride (CPVC) pipes for potabvle hot and cold water distribution supplies -	IS 15778 : 2007

Endorsement No. 11 Dated 26-Mar-2026

Whereas, the licence was valid upto Thirty April Two Thousand Twenty Six.

Now, consequent upon renewal, the validity of the licence given in schedule of the Licence Dated 29-APR-2026 has been extended from Thirty April Two Thousand Twenty Six to Twenty Ninth April Two Thousand Thirty One

The validity of the licenses has been extended for Five years with applicable fee deposition of one year only. Requisite fee is required to be submitted annually along with production statement for calculation of actual marking fee before completion of one-year period. If the production statement and/or annual fees is not received within timelines (i.e. before completion of the one-year period), then the licence shall stand suspended or deferred for 90 days duration.

During the period of these 90 days, the requisite information with fee accompanied with late fee of Rs. 5,000 can be submitted to make the licence operative. Otherwise, the licence shall stand cancelled or expired.

Other terms and conditions of licence remain same.

Branch Head (Kolkata Branch Office-I)